

☞ △ : 작업중 / ▲ : 입고예정 (주중) / ◐ : 소량

2021년 03월 08일

* 주요 취급 품목

※문의) 서창경 대표 : 010-9232-4112 / 황호민 상무 : 010-3579-6426

STS	B8, B8M, B8 CL2, B8M CL2, 316L, 310S, 317L, 304L, 316Ti, B6(410), 420 J2, B8T(321), B8C(347), 630, 431
CARBORN	B7, B7M, L7, L7M, B16, A36, 307A, 307B, 307C, A325, A449, A490, F1544(GR55, 105, A36)
DUPLEX	F51(S31803), F53(S32750), F55(S32760), F44(S31254), INCONEL, MONEL, HASTELLOY, INCOLOY

* HEX BOLT (304 : ●, 316 : ○)

[illegible]

* HEX BOLT (316L : ●, 316 : ○, 단스끼 : ☆)

※316 - 12*220,240,250,260,280,300,340,400(옴셀타입)

[illegible]

* HEX BOLT (316L : ●, 304L : ○, B6(410) : ☆)

[illegible]

* HEX BOLT (F51(31803, 2205) : ●, 310S : ○, B8T(321) : ☆)

재질	경	장																											
		10	12	15	20	25	30	35	40	45	50	55	60	65	70	75	80	90	100	110	120	130	140	150	160	170	180	190	200
F51 310S B8T	6	●	●		●	●	●	●	●		●	●																	
	8			●○☆	●○☆	●○☆	●○☆	●○☆	●○☆	●○☆	☆	●○☆	☆	●○☆	☆	●○☆	●☆	●○☆											
	10			●○☆	●○☆	●○☆	●○☆	●○☆	●○☆	●○☆	○☆	●○☆	○	○	○	○	○	○											
	12				○☆	●○☆	●○☆	●☆	●○☆	●○☆	●○☆	●○☆	●○☆	●○☆	●○☆	●○☆	●○☆	●○☆	●○☆	●	●	●	●	●	●	●	●	●	●
	16					●	●	●	●○☆	●○☆	●○☆	●○☆	●○☆	●○	●○	●○	●○	●○	●○		●	●	●	●	●				
	20																						●	●					●

* HEX BOLT (A36 : ●, B8C(347) : ☆)

재질	경	10	12	15	20	25	30	35	40	45	50	55	60	65	70	75	80	90	100	110	120	130	140	150	160	170	180	190	200
		A36	12				●	●	●	●	●	●	●	●	●	●	●	●	●	●									
B8C	16	HEX BOLT : ●	HEX BOLT : ●	HEX BOLT : ●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●	●			

[illegible]

* A307 (307-B, H.V HEX BOLT : ●, 307-A, HEX BOLT : ○)

[illegible]

* A325 H.V HEX BOLT

[illegible]

☞ △ : 작업중 / ▲ : 입고예정 (주중) / ◐ : 소량

2021년 03월 08일

[illegible]

△ : 작업중 / ▲ : 입고예정 (주중) / ● : 소량

2021년 03월 08일

* STUD BOLT (B8 : ●, B8M : ○)

재질	규격	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	110	115	120	125	130	140	145	150	160	170
M12		●	○	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
M16		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
M20		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
M22		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
1/2(13)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
5/8		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
3/4		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
7/8		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

* HEX NUT (8 : ○)

재질	규격	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30	33	36	39	42	45	48	52	56	60
304		●	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
316		●	●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
316L		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
45C (백)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
45C (용융)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
재질	규격	1/4	5/16	3/8	7/16	1/2(12)	1/2(13)	5/8	3/4	7/8	1"	1-1/8	1-1/4	1-3/8	1-1/2	1-3/4	2"	2-1/2							
304		●	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
316		●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
45C		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

* HEX NUT (가느다)

재질	규격	M8(8P)	M10(10P)	M12(12P)	M14(14P)	M16(16P)	M18(18P)	M20(20P)	M22(22P)	M24(24P)	M27(27P)	M30(30P)	M33(33P)	M36(36P)	M39(39P)	M42(42P)	M45(45P)	M48(48P)	M52(52P)	M56(56P)	M60(60P)
304		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
316		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

* H.V HEX NUT (백도금 : ○) (M30 이상은 3.0P 재고기준) (M30-3.5P : 재고有, M33-3.5P, M36-4.0P : 8M 재고有), H.V-2H, M18-2.5P, M45-3.0P, M52-3.0P

재질	규격	3/8	1/2(13)	5/8	3/4	7/8	1"	1-1/8	1-1/4	1-3/8	1-1/2	1-5/8	1-3/4	1-7/8	2"	2-1/4	2-1/2	6	8	10	12	14	16	20	22	24	27	30	33	36	39	42	48	
8		●	●	●	●	●	○	○	○	○	○	●	○	○			●	●	●	●	●	●	●	●	●	●	●			●				
8M		●	●	●	●	●	●	○	●	○	○	○	○	○	○	○	○	●	●	●	●		●	●	●	●	○			○		○		
1D(8)																		●	●	●	●	●	●	●		○		○	○					
1D(8M)																		●	●	●	●	○	●	●	●	○								
1D(2H)																		●	●	●	●	●	●	●	○	●	●	●	●	●	●	●		
2H			●○	●○	●○	●	●○	●○	●○	●	●○	●	●	●	●		●	●		●	●	●	●	●	●	●	●	●	●	●	●	●		●
2H (용융)			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				●		●	●	○			●	●	●	●	●	●	●
563A		●	●	●	●	●	●	●		●	●							●	●	●	●		●	●	●	●	●	●	●	●				
563A (용융)		●	●	●	●	●	●	●		●	●									●	●	●	●	●	●	●		●		●				
563M-10S																			●	●	●		●	●	●	●	●				●			
10S (용융)																				●	●		●	●	●	●	●	●	●	●				
563-DH				●	●	●	●	●			●												●	●	●	●	●	●	●	●	●			
DH (용융)		○		●	●	●	●																											
재질	규격	3/8	1/2(13)	5/8	3/4	7/8	1"	1-1/8	1-1/4	1-3/8	1-1/2	1-5/8	1-3/4	1-7/8	2"	2-1/4	2-1/2		8	10	12	14	16	20	22	24	27	30	33	36	39	42	48	
2HM		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																	
4L		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●				●		●	●	●	●	●	●						
7		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																	

* 특수 HEX NUT (미리 : ○, 인치 : ●)

재질	규격	6(1/4")	8(5/16")	10(3/8")	12(1/2")	14	16(5/8")	20(3/4")	22(7/8")	24(1")	27(1-1/8")	30(1-1/4")
F51		○	○	○	○	○	○	○	○	○	○	○
410(6)		○	○	○	○	○	○	○	○	○	○	○
310S		○	○	○	○	○	○	○	○	○	○	○
321(8T)		○	○	○	○	○	○	○	○	○	○	○
347(8C)		○	○	○	○	○	○	○	○	○	○	○
HASTELLOY Q-276		○	○	○	○	○	○	○	○	○	○	○
194-7		○	○	○	○	○	○	○	○	○	○	○
194-2H		○	○	○	○	○	○	○	○	○	○	○
304L		○	○	○	○	○	○	○	○	○	○	○

* 와사류(F436(인치) : ○, F436M(미리) : ●, 45C 용융 : ★)

구분	규격	3	4	5	6	8	10(3/8)	12(1/2)	14	16(5/8)	18	20(3/4)	22(7/8)	24(1")	27	30(1-1/8)	33(1-1/4)	36(1-3/8)	39(1-1/2)	42(1-5/8)	45(1-3/4)	48	52
P/W 304 (규격)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
P/W 304 (비규격)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
P/W 316 (규격)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
P/W 316L (규격)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
P/W 일반용		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
P/W (F436, F436M)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
P/W-용융 (F436, F436M)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
S/W (304)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
S/W (316)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
S/W (316L)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
S/W (특제-황색)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
S/W (특제-흑색)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
S/W (특제-용융)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
S/W (특제-용융전산용)		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○



(주) 보 광 화 스 너

TEL : 055)334-4111

FAX : 055)334-4112

△ : 작업중 / ▲ : 입고예정 (주중) / ○ : 소량

2021년 03월 08일

* T/W (테이퍼 와샤)													
재질		규격											
		8	10	12	14	16	18	20	22	24	27	30	사각와샤(SS400)
SS400 (황도금)	5°		●	●	●	●		●	●	●	●	●	40*40*18*8T
	8°	●	●	●	●	●	●	●	●	●			45*45*22*12T
304	5°	●	●	●				●	●	●	○	●	60*60*26*16T
	8°	●	●	●	●	●	●	●	●				70*70*33*16T
316L	5°	●	●	●	●	●		●	●	●		○	80*80*39*19T
S45C	5°	●	●	●	●	●	●	●	●	●			90*90*45*19T

* U-BOLT (304/단스개 : ○, 316 : ●, 316L/단스개 : ★)													
경	정	TYPE	15A	20A	25A	32A	40A	50A	65A	80A	100A	125A	150A
M10	B	○★	○★	○★	○★	○★	○★	○★					
	C	○★	○★	○★	○★	○★	○★	○★					
M12	B								○★	○★			
	C								○★	○★			
M16	A										○★	○★	○★

* SS400 HEX BOLT (홀/황도금)							
경	정	210	220	240	250	260	300
10			●	●		●	●
12				●	●	●	●
16		○	●	●	●	●	●
20		●	●	●		○	●
22		●	●		●	●	●
24	●	●	●		●	●	●

* 316L 둥근머리볼트(+) : ○, 점시머리볼트(+) : ●, 점시머리볼트(-) : ○																				
경	정	6	8	10	12	15	20	25	30	35	40	45	50	55	60	70	75	80	90	100
3		○●	○●	○●	○●	●	○●	○												
4		○●	○●	○●	○●	●	○●	○●	○●	○	○●	○	○●		○					
5		○	○●	○●	○●		○●	○●	○●	○●	○●	○	○●		○					
6				○●	○●	○●	○●	○●	○●	○●	○●	○●	○●	○●	○●	○	○			
8						○●	○●	○●	○●	○●	○●	○●	○●	○●	○●	○●				
10							○●	○●○	○●○	○●○	○●	○●	○●	○●	○●	●	●	●	●	●
12							○	○	○	○	○	○	○	○	○	○	○	○	○	○
16		16*65,120,150								○	○	○	○	○	○	○		○	○	○

* 경첩볼트 (미리 : ●, 인치 : ○)																						
규격	재질	SS400(무도금)						SCM440				304						316				
		6 (1/4)	8 (5/16)	10 (3/8)	12 (1/2)	16 (5/8)	20 (3/4)	22 (7/8)	10 (3/8)	12 (1/2)	16 (5/8)	20 (3/4)	6 (1/4)	8 (5/16)	10 (3/8)	12 (1/2)	16 (5/8)	20 (3/4)	10 (3/8)	12 (1/2)	16 (5/8)	20 (3/4)
30		●	●	●					●				●	●	●				●			
35		●	●	●					●				●	●	●				●			
40		●○	●○	●					●				●	●○	●				●			
45		●	●○	●					●				●	●○	●				●			
50		●○	●○	●○	●				●○	●			●	●○	●○	●			●	●		
55		●	●	●○	●				●○	●			●	●	●○	●			●	●		
60		●○	●○	●○	●○				●○	○			●	●	●○	●○						
65				●○	●○					○					●○	●○				○		
70		●○	●○	●○	●○	●			●○	○			●	●	●	●○	●		●	●○		
75				●○	●○	●○				○				●	●	●○			●	●○		
80		●○	●○	●○	●○	●○				○	○			●	●	●○	●○		●	●○	○	
85				●○	●○	●○				○	○					○	○				○	
90		●○	●○	●○	●○	●○	●○			○	○	○			●	●	●○	●○	●	●	●○	●○
95					○	●○	●○			○	○	○				○	○	●○			●○	●○
100		●○	●○	●○	●○	●○	●○	●		○	○	○			●	●	●○	●○	●	●	●	●○
105							○					○						●○			●	●○
110			●○	●○	●○	●○	●○	●			○	○			●	●	●	●○		●	●	●
115						○	○	●				○						●○				
120			●○	●○	●○	●○	●○	●				○			●	●	●	●○		●	●	●
125						○						○										
130				●○	●	●○	●○	●				○			●	●	●	●				
135						○																
140				●○	●	●○	●	●							●	●	●					
150				●○	●○	●○	●○								●	●	●					

* 기타 NUT 재고

*HEX NUT(B:18,H:10.5)(M12*1.75P(마킹:8),M12*1.75P(마킹:4),M12*1.75P(마킹:A4-80)

*HEX NUT(B:16,H:8.1)(M10*1.5P(마킹:A4-80)

*HEAVY HEX NUT

F51(1/2-13,5/8-11,3/4-10)

A194-6(M12*1.75P,M14*2.0P,M16*2.0P,M22*2.5P,M24*3.0P,3/8-16,1/2-13,7/8-9)

SUS321(1/2-13,M12*1.75P), A194-8T(M8*1.25P,M12*1.75P,1/2-13), SUS304L(3/8-16)

※ 당사 홈페이지 www.Younhap.co.kr → 보광화스너 → 일반자료실에서
재고 확인 가능하오니 참조 부탁드립니다.※ 기존 현물택배 처리되던 화물을 현물처리 해 드립니다.
(1마대 이상 주문시 운임비 1,000원 공제)[계좌번호]
경남은행 668-07-0013595
예금주 (주)보광화스너

(주) 보 광 화 스 너

TEL : 055)334-4111 FAX : 055)334-4112

특 별 할 인 판 매

1 of 1

2021. 03. 08

316 HEX BOLT(A4-70)				316 HEX BOLT(A4-70)			
규격	수량	단가	마킹	규격	수량	단가	마킹
M16*30	955	384	DN 316				
M16*35	660	410	DN 316				
M16*35	240	410	A4-70				
M16*50	438	488	A4-70				
M16*50	309	488	TN A4-70				
M16*50	320	488	DG 316				
M16*50	294	488	THE A4-70				
M16*50	25	488	TD A4-70				
M16*50	9	488	SJF A4-70				
M16*50	14	488	YHF 316				
M16*55	485	527	TN A4-70 316				
M16*55	95	527	THE A4-70				
M16*65	97	588	DN				
M16*65	49	588	SJ				
M16*65	52	588	DM				
M16*65	180	588	TN A4-70				
M16*70	124	610	THE A4-70				
M22*50	96	1,157	DN 316				

(주) 보 광 화 스 너

특 별 할 인 판 매

1 of 1

2021. 03. 08

304 HEX BOLT				304 HEX BOLT			
규격	수량	단가	마킹	규격	수량	단가	마킹
M8*150	1,155	14,190	무마킹				
M10*185-100	818	470	무마킹				
M12*165-65	652	560	SJ A2-70				
M14*110	950	533	YHF A2-70				
M16*180	184	1,060	YHF A2-70				
M22*65	2,012	900	THE A2-70				

(주) 보 광 화 스 너

10.9 HEX BOLT 단가표

1 of 1

※도금 변경 가능(도금비 추가)

2021. 03. 08

10.9 HEX BOLT (착색)				10.9 HEX BOLT (황도금)				10.9 HEX BOLT (용융)			
규격	마킹	수량	단가	규격	마킹	수량	단가	규격	마킹	수량	단가
M10*55	YHF	14,190	62	M16*35	DG	1,914	123	M12*50	Y.S	2,850	120
M10*60	YHF	17,550	65	M22*60	DJ	786	353				
M20*115	YHF	425	472	M22*65	DG	480	378				
M30*180	FAST	523	1,840								
M36*180	FAST	1,040	2,550								
M36*260	YHF	340	3,500								
M36*260	FAST	450	3,500								
M48*200	FAST	149	6,350								
M48*200	YHF	200	6,350								
8.8 HEX BOLT (착색)											
규격	마킹	수량	단가								
M16*195	YHF	2,320	470								
M20*140	D	450	560								
M20*150	D	1,696	597								
M36*350	YHF	1,020	4,970								
M36*350	YHF(음)	90	4,970								
M36*350	FAST	1,310	4,970								

SS400 HEX BOLT 단가표

1 of 2

※도금 변경 가능(도금비 추가)

2021. 03. 08

SS400 HEX BOLT (용융)				SS400 HEX BOLT (용융)				SS400 HEX BOLT (황도금)			
규격	마킹	수량	단가	규격	마킹	수량	단가	규격	마킹	수량	단가
M10*30	YS	240	52	M20*160	LS	30	757	M8*75	DG	415	37
M12*25	SJ	-	67	M22*45	DG	85	412	M10*45	혼입	-	43
M12*55	YHF	3,570	107	M22*50	DG	635	438	M10*55	YHF	800	48
M12*60	SJF	90	115	M22*60	YHF	205	477	M10*55	BD	500	48
M12*70	YHF	20	127	M22*65	YHF	156	502	M10*55	C.S	750	48
M12*75	YHF	72	135	M22*70	YHF	2,768	525	M10*75	C.S	550	60
M14*35	SJF	650	123	M22*75	YHF	115	550	M14*30	DG	-	79
M16*65	C.S	13	223	M22*105	YHF	95	665	M16*95	SFC	60	193
M16*65	YHF	455	223	M22*115	SJ	133	718	M16*95	YHF	226	193
M16*70	C.S	15	240	M22*160	DH	25	992	M16*155	SFC	55	303
M16*70	SKB	500	240	M22*160	DG	20	992	M20*95	YHF	3,445	330
M16*75	YHF	517	252	M24*55	SJ	82	566	M20*105	YHF	1,150	355
M16*80	SKB	728	265	M24*60	YHF	693	595	M20*105	SJ	984	355
M16*80	YHF	720	265	M24*65	YHF	260	623	M22*45	DLS	60	277
M16*85	SJ	-	277	M24*75	YHF	100	680	M22*65	YHF	3,960	335
M16*90	SJ	-	288	M24*80	SJ	5	700	M22*85	DG	80	400
M16*120	DG	24	357	M24*85	SJ	300	710	M22*85	YHF	4,090	400
M20*55	SKB	-	352	M24*90	YHF	95	760	M22*95	YHF	-	418
M20*55	YHF	-	352	M24*100	SJ	60	826	M22*130	Y.S	-	560
M20*60	SKB	1,695	372	M24*110	SJ	35	882	M22*130	YHF	-	560
M20*60	YHF	430	372	M27*110	YHF	16	1,090	M22*140	YHF	515	598
M20*70	C.S	410	410	M30*60	YHF	113	1,080	M22*165	DC	25	685
M20*80	YHF	1,052	449	M30*90	YHF	-	1,395	M24*55	YS	-	378
M20*85	YHF	180	462	M30*110	DG	20	1,610	M24*70	YHF	294	435
M20*85	SJ	4	462	M30*125	YHF	20	1,760	M24*70	SJ	180	435
M20*90	YHF	160	487	M30*240	YHF	9	4,230	M24*70	XN	29	435
M20*100	YHF	88	526	M36*70	YHF	22	1,810	M24*75	YHF	450	450
M20*105	YHF	55	546	SS400 HEX BOLT (황도금)				M24*75	SJ	109	450
M20*110	YHF	-	565	규격	마킹	수량	단가	M24*95	SJ	156	530
M20*120	YHF	196	603	M6*40	혼입	1,500	12	M24*125	YHF	135	665
M20*125	DG	71	616	M6*40	YHF	57,500	12	M24*140	OM	45	1,045
M20*135	YHF	50	662	M6*45	DG	15,000	13	M24*170	DH	135	845

(주) 보 광 화 스 너

SS400 HEX BOLT 단가표

2 of 2

※도금 변경 가능(도금비 추가)

2021. 03. 08

SS400 HEX BOLT (황도금)				SS400 HEX BOLT (무도금)							
규격	마킹	수량	단가	규격	마킹	수량	단가				
M30*65	YHF	317	770	M27*180	YHF	513	1040				
M30*65	S	43	770	M27*190	YHF	332	1090				
M30*75	YHF	149	840	M27*200	YHF	269	1110				
M30*80	YHF	578	860	M30*180	YHF	367	1260				
M30*85	YHF	900	900	M36*85	YHF	434	1090				
M30*90	S	2,079	930	M36*90	YHF	20	1130				
M30*90	YHF	189	930	M36*95	YHF	120	1160				
M30*95	YHF	2,521	970	M36*130	YHF	55	1460				
M30*100	YHF	67	1,020	M36*140	YHF	625	1540				
M30*120	YHF	1,713	1,120	M36*150	YHF	64	1580				
M30*125	YHF	585	1,220	M36*190	YHF	11	1920				
M30*160	YHF	20	1,470	M36*200	YHF	100	2030				
M30*190	YHF	11	1,700	SS400 HEX BOLT (백도금)							
M36*60	YHF	180	1,090	규격	마킹	수량	단가				
M36*80	H	34	1,350	M27*150	YHF	-	1160				
M36*85	YHF	11	1,400	M30*100	YHF	9	1090				
M36*90	YHF	342	1,450								
M36*105	YHF	46	1,600								
M36*125	YHF	89	1,830								
M36*130	YHF	18	1,880								
M36*135	YHF	10	1,900								
SS400 HEX BOLT (무도금)											
규격	마킹	수량	단가								
M24*105	SJ	1,168	420								
M27*80	YHF	200	530								
M27*85	YHF	350	560								
M27*90	YHF	750	600								
M27*120	YHF	5	755								
M27*140	YHF	17	830								
M27*150	YHF	7	880								
M27*160	YHF	547	935								
M27*170	YHF	481	980								

(주) 보 광 화 스 너

특 별 할 인 판 매

2021. 03. 08

SS400 아이볼트(무도금)			AL B/RIVET (흑)(한빛 제품)			10.9 렌치볼트(무전해니켈)		
규격	수량	단가	규격	수량	단가	규격	수량	단가
M30*3.5P	1		Ø4.8*16	15,000	16	M12*40	400	3,150
SS400 아이너트(황도금)			304 L-양카(홀, 국산)			M16*50	260	275
규격	수량	단가	규격	수량	단가	M24*65	504	960
M6*1.0P	5,718	170	1/2"-12산*150	32	1,750			
M8*1.25P	2,768	170	1/2"-12산*200	150	1,890			
SS400 아이너트(무도금)			1/2"-12산*250	40	2,030			
규격	수량	단가	1/2"-12산*300	5	2,170			
M36*4.0P	100	6,850	5/8"-11산*150	10	2,130			
304 아이너트(무택)			5/8"-11산*200	21	2,350			
규격	수량	단가	5/8"-11산*250	75	2,590			
M20	100		5/8"-11산*270	50	2,830			
304 아이볼트			3/4"-10산*200	43	3,290			
규격	수량	단가	3/4"-10산*250	27	3,630			
M22*2.5P	240	4,800	3/4"-10산*300	75	3,950			
1/2*12산	1,159	1,000	3/4"-10산*350	107	4,280			
5/8*11산	342	2,000	7/8"-9산*400	37	6,020			
AL B/RIVET(한빛 제품)			7/8"-9산*450	43	6,480			
규격	수량	단가	1"-8산*450	61	8,400			
Ø2.5*8(HF)	2,012	7	1"-8산*500	21	9,000			
Ø4.8*20	2,100	15	S45C 중길이(1000M)					
AL B/RIVET(합판용)(한빛 제품)			※열/비 = 열처리/비도금					
규격	수량	단가	규격	수량	단가			
Ø4*11	29,500	10	M48-5.0P(착색)	17	33,300			
Ø4.8*16	3,000	16	1/2"-13산(착색)	286	860			
Ø6.4*13(HF)	5,000	50	5/8"-11산(열/비)	3	1,270			
AL B/RIVET (흑)(한빛 제품)			7/8"-9산(착색)	4	2,610			
규격	수량	단가	1-1/8"-7산(착색)	82	4,670			
Ø3.2*8	10,000	7.5	1-1/4"-8산(착색)	151	5,850			
Ø4*11	40,500	11						
Ø4.8*11	15,000	13						

(주) 보 광 화 스 너

특 별 할 인 판 매

2021. 03. 08

S45C S/W (JIS, 흑착색))			316 HEX NUT					
규격	수량	단가	규격	수량	단가			
M5	487,730	0.85	1/2"-12山	1,540	75			
S45C S/W (JIS, 용융도금)			304 워너트					
규격	수량	단가	규격	수량	단가			
M10	417,347	6.5	M12-1.75P	1,032	240			
S45C S/W (JIS, 황도금)			1/2"-12山	2,500	230			
규격	수량	단가	1/2"-13山	1,260	240			
M14	5,960	12.90	A325 H.V H/B , N, P/W					
M18	24,932	25.80	규격	수량	단가			
M20	54,730	35	3/4"-10山*2-1/4"(백)	23,456	협의			
M33	3,793	150						
SS400 나이론너트 (백도금)								
규격	수량	단가						
5/8"-11山	65,860	67						
3/4"-10山	6,500	107						
7/8"-9山	1,750	170						
1"-8山	-	250						
304 나이론너트								
규격	수량	단가						
M20	2,012	375						
M22	145	650						
3/4"-10山	2,590	335						
1"-8山	180	1600						
316 나이론너트								
규격	수량	단가						
M5	13,500	10						
M6	22,250	15						
316L 후렌지너트								
규격	수량	단가						
3/8"-16山(B:14)	3,800	100						

(주) 보 광 화 스 너